SGS INSTITUT FRESENIUS

SGS INSTITUT FRESENIUS GmbH P.O.Box 65220 Taunusstein

Milicevic d.o.o.
Resnik bb
71260 KRESEVO
BOSNIEN-HERZ.

Certificate 300784
Order No. 805598
Customer No. 10031090
Herr Dr. Ulrich A. Kreuter
Telefon 06128/744-458
Fax 06128-744-9906

Deutscher Akkreditierungs Rat
DAR
DAP-PL-2566.99
Testing laboratory accredited according to DIN ISO/IEC 17025 by „DAP"
German Accreditation System for Testing.

Consumer Testing Services
Food & Beverages

SGS INSTITUT FRESENIUS GmbH
Im Maisel 14
65232 Taunusstein

Taunusstein, 07.02.2007
Your order/project: ,
Your purchase order number: ohne

Inspection period from 15.01.2007 until 07.02.2007
First sequential number 7018922
Sample entry on 15.01.2007

SGS INSTITUT FRESENIUS

Dr. Ulrich A. Kreuter
i.V.

SGS INSTITUT FRESENIUS GmbH | Im Maisel 14 D-65232 Taunustein t +49 6128 744- 0 f +49 6128 744 - 9890 www.institut-fresenius.de
Managing director: Matthias Oppermann Chairman: Dirk Hellemanns

HRB: 21543 registered at the Local Court in Wiesbaden, branch office Bad Schwalbach Ust.-Id.-Nr.: DE811165451
The test results refer to the tested samples. Publishing or copying of our reports and certificates for advertising purposes as well as use of extracts in any other case requires written permission.
All services are executed according to applicable general terms and conditions of SGS which can be provided upon request.

Sample 7018922
Milicevic d.o.o.
Narva Dezevice/Kresevo
Date of receipt 15.01.2007 Type of receipt sent from you
Date of sampling Sampler Costumer

Parameter	Unit	Result	Limit of quant.	Method	Limit value
Lable and Local Readings					
electr. conductivity at 25° C	µS/cm	214	3	DIN EN 27888	
Annex 2, Part I					
Acrylamide	µg/l	< 0,1	0,1	EPA 8032 A	0,1
Benzene	µg/l	< 0,2	0,2	DIN EN ISO 10301	1
Boron	mg/l	0,03	0,02	DIN EN ISO 11885	1
Bromate	mg/l	< 0,001	0,001	SOP M 783	0,01
Chromium	mg/l	< 0,001	0,001	EN ISO 17294-2	0,05
Cyanide total	mg/l	< 0,005	0,005	DIN EN ISO 14403	0,05
1,2-Dichloroethane	µg/l	< 0,3	0,3	DIN EN ISO 10301	3
Fluoride	mg/l	0,06	0,02	DIN 38405-4	1,5
Nitrate	mg/l	1,8	0,3	DIN EN ISO 10304-1	50
Mercury	mg/l	< 0,0001	0,0001	DIN EN 1483	0,001
Selenium	mg/l	< 0,001	0,001	EN ISO 17294-2	0,01
Trichloroethene	µg/l	< 0,1	0,1	DIN EN ISO 10301	
Tetrachloroethene	µg/l	< 0,1	0,1	DIN EN ISO 10301	
Total Tetra- & Trichloroethene	µg/l	-			10

Probe 7018922
Continuation

Milicevic d.o.o.
Narva Dezevice/Kresevo

Parameter	Unit	Result	Limit of quant.	Method	Limit value
Pesticides					
2,4-D	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Aldrin	µg/l	< 0,03	0,03	EN ISO 6468	0,03
Ametryn	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Atrazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Bentazone	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Bromacil	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Bromophos - ethyl	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Buturon	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Carbetamid	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Carbofuran	µg/l	< 0,1	0,1	EN ISO 11369	0,1
Chlorfenvinphos	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Chloridazon	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Chloroxuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Chlorotoluron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Clopyralid	µg/l	< 0,1	0,1	DIN 38407-20	0,1
Cyanazine	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Cypermethrin	µg/l	< 0,1	0,1	EN ISO 6468	0,1
o, p´ - DDD	µg/l	< 0,05	0,05	EN ISO 6468	0,1
p, p´ - DDD	µg/l	< 0,05	0,05	EN ISO 6468	0,1
o, p´ - DDE	µg/l	< 0,05	0,05	EN ISO 6468	0,1
p, p´ - DDE	µg/l	< 0,05	0,05	EN ISO 6468	0,1
o, p´ - DDT	µg/l	< 0,05	0,05	EN ISO 6468	0,1
p, p´ - DDT	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Desethylatrazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Desethyl-terbuthylazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Desisopropylatrazine	µg/l	< 0,1	0,1	EN ISO 10695	0,1
Desmetryne	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Diazinon	µg/l	< 0,1	0,1	EN ISO 10695	0,1
Dicamba	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Dichlorobenil	µg/l	< 0,1	0,1	EN ISO 6468	0,1
Dichlorprop	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Dieldrin	µg/l	< 0,03	0,03	EN ISO 6468	0,03
Dikegulac	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Dimefuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Dimethoate	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Diuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Endosulfan, alpha -	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Endosulfan, beta -	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Fenuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Fluometuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
alpha-HCH	µg/l	< 0,05	0,05	EN ISO 6468	0,1
beta-HCH	µg/l	< 0,05	0,05	EN ISO 6468	0,1
delta-HCH	µg/l	< 0,05	0,05	EN ISO 6468	0,1

Probe 7018922
Continuation

Milicevic d.o.o.
Narva Dezevice/Kresevo

Parameter	Unit	Result	Limit of quant.	Method	Limit value
gamma-HCH (Lindane)	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Heptachlor	µg/l	< 0,03	0,03	EN ISO 6468	0,03
Heptachlorepoxyde	µg/l	< 0,03	0,03	EN ISO 6468	0,03
Hexachlorobenzene	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Hexazinon	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Isoproturon	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Linuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Malathion	µg/l	< 0,05	0,05	EN ISO 10695	0,1
MCPA	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Mecoprop	µg/l	< 0,05	0,05	DIN 38407-20	0,1
Metamitron	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Metazachlor	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Methabenzthiazuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Methoprotryn	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Methoxychlor	µg/l	< 0,1	0,1	EN ISO 6468	0,1
Metobromuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Metolachlor	µg/l	< 0,1	0,1	EN ISO 10695	0,1
Metoxuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Metribuzin	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Monolinuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Monuron	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Nitrofen	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Parathion	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Parathion - methyl	µg/l	< 0,02	0,02	EN ISO 10695	0,1
PCB 28	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 52	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 101	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 138	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 153	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 180	µg/l	< 0,05	0,05	EN ISO 6468	0,1
PCB 194	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Pendimethalin	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Phenmedipham	µg/l	< 0,05	0,05	EN ISO 11369	0,1
Prometryn	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Propazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Sebuthylazine	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Simazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Terbuthylazine	µg/l	< 0,02	0,02	EN ISO 10695	0,1
Terbutryn	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Trifluralin	µg/l	< 0,05	0,05	EN ISO 6468	0,1
Vinclozolin	µg/l	< 0,05	0,05	EN ISO 10695	0,1
Total Pesticides	µg/l	-		DIN 38407-2	0,5

Probe 7018922
Continuation

Milicevic d.o.o.
Narva Dezevice/Kresevo

Parameter	Unit	Result	Limit of quant.	Method	Limit value
Annex 2, Part II					
Antimony	mg/l	0,001	0,001	EN ISO 17294-2	0,005
Arsenic	mg/l	< 0,001	0,001	EN ISO 17294-2	0,01
Benzo(a)pyrene	µg/l	< 0,002	0,002	DIN 38407-18	0,01
Lead	mg/l	< 0,0005	0,0005	EN ISO 17294-2	0,01
Cadmium	mg/l	< 0,0002	0,0002	EN ISO 17294-2	0,005
Epichlorohydrin	µg/l	< 0,1	0,1	DIN EN 14207	0,1
Copper	mg/l	< 0,001	0,001	EN ISO 17294-2	2
Nickel	mg/l	< 0,001	0,001	EN ISO 17294-2	0,02
Nitrite	mg/l	< 0,02	0,02	DIN EN ISO 10304-1	
Benzo(b)fluoranthene	µg/l	< 0,002	0,002	DIN 38407-18	
Benzo(k)fluoranthene	µg/l	< 0,002	0,002	DIN 38407-18	
Benzo(g,h,i)perylene	µg/l	< 0,002	0,002	DIN 38407-18	
Indeno(1,2,3-c,d) pyrene	µg/l	< 0,002	0,002	DIN 38407-18	
Total PAH acc. to 98/83/EC	µg/l	-		DIN 38407-18	0,1
Trichloromethane	µg/l	< 0,5	0,5	DIN EN ISO 10301	
Bromodichloro-methane	µg/l	< 0,5	0,5	DIN EN ISO 10301	
Dibromochloro-methane	µg/l	< 0,5	0,5	DIN EN ISO 10301	
Tribromomethane	µg/l	< 0,5	0,5	DIN EN ISO 10301	
Total Trihalomethane	µg/l	-			50
Vinylchloride	µg/l	< 0,3	0,3	DIN EN ISO 10301	0,5
Annex 3, Indicator Parameters					
Aluminium	mg/l	< 0,005	0,005	EN ISO 17294-2	0,2
Ammonium	mg/l	0,03	0,02	DIN EN ISO 11732	0,5
Chloride	mg/l	1,1	1	DIN EN ISO 10304-1	250
Iron	mg/l	< 0,005	0,005	DIN EN ISO 11885	0,2
Spectral abs. coeff. 436nm	1/m	< 0,05	0,05	DIN EN ISO 7887	0,5
Manganese	mg/l	< 0,005	0,005	DIN EN ISO 11885	0,05
Sodium	mg/l	1,2	0,1	DIN EN ISO 11885	200
TOC	mg/l	0,3	0,2	DIN EN 1484	
Sulfate	mg/l	3,4	1	DIN EN ISO 10304-1	240
Turbidity	NTU	< 0,1	0,1	DIN EN ISO 7027	1

Probe 7018922
Continuation

Milicevic d.o.o.
Narva Dezevice/Kresevo

Parameter	Unit	Result	Limit of quant.	Method	Limit value
Additional Parameters					
Potassium	mg/l	0,3	0,1	DIN EN ISO 11885	
Magnesium	mg/l	11,7	0,5	DIN EN ISO 11885	
Calcium	mg/l	26,4	0,5	DIN EN ISO 11885	
Barium	mg/l	0,27	0,005	DIN EN ISO 11885	
Phosphate	mg/l	0,20	0,04	DIN EN 1189	6,7
Hydrogen Carbonate	mg/l	133	3	DEV D8	
Silicic Acid	mg/l	6,42	0,2	DIN EN ISO 11885	
Carbonate hardness	mmol/l	1,09			
Total hardness	°dH	6,39	0,03		
Range of hardness		1			
Zinc	mg/l	< 0,005	0,005	DIN EN ISO 11885	

Assessment Pesticides

With respect to the examinations carried out, the sample complies with the requirements.

Assessment Chemical Parameters

With respect to the examinations carried out, the sample complies with the reqiirements.

Assessment acc. to 98/83/EC
SGS INSTITUT FRESENIUS